

Christopher J. Yuen

Director

Roy R. Takemoto Deputy Director

Harry Kim Mayor

County of Natuaii

PLANNING DEPARTMENT 101 Pauahi Street, Suite 3 • Hilo, Hawaii 96720-3043 (808) 961-8288 • Fax (808) 961-8742

August 12, 2004

Ronald A. Mochida P.O. Box 742 Honoka'a, Hawaii 96727

Dear Mr. Mochida:

Ohana Dwelling Unit Permit Application (2004-0012) 3913Applicant(s):Ronald A. MochidaLand Owner(s):Ronald A. and Winifred T. Mochida TrustProposal:Construct An Attached Ohana Dwelling UnitTax Map Key: (3) 4-5-004:093

The subject application was reviewed by the required agencies and this Department. The agency comments to the application are as follows:

1. The Department of Public Works (DPW) (memorandum dated July 12, 2004):

"No Comments."

2. The Department of Water Supply (DWS) (memorandum dated July 20, 2004):

"We have reviewed the subject application and have the following comments.

For your information, the parcel has an existing service with the Department, which is adequate for only one dwelling unit at an average of 400 gallons per day.

Hawai'i County is an equal opportunity provider and employer.

w958958

-

Ronald A. Mochida Page 2 August 12, 2004

Inasmuch as this application is proposing an additional detached dwelling, the installation of a separate 5/8-inch meter by the applicant would normally be required in accordance with Department regulations.

However, the Department's existing water system facilities cannot support an additional meter for the proposed attached ohana dwelling at this time. Extensive improvements and additions, including source, storage, transmission, booster pumps, and distribution facilities, must be constructed. Currently, sufficient funding is not available and no time schedule is set.

Should there be any questions, please call Ms. Shari Komata of our Water Resources and Planning Branch at 961-8070, extension 252."

3. The State of Hawaii Department of Health (DOH-HILO) (memorandum dated July 26, 2004):

"The existing wastewater system is adequate to serve the proposed project."

4. The Hawaii County Fire Department (HFD) (memorandum dated July 19, 2004):

"Fire apparatus access roads shall be in accordance with UFC Section 10.207:

'Fire Apparatus Access Roads

'Sec. 10.207. (a) General. Fire apparatus access roads shall be provided and maintained in accordance with this section.

(b) Where Required. Fire apparatus access roads shall be required for every building hereafter constructed when any portion of an exterior wall of the first story is located more than 150 feet from fire department vehicle access as measured by an unobstructed route around the exterior of the building.

EXCEPTIONS: 1. When buildings are completely protected with an approved automatic fire sprinkler system, the provisions of this section may be modified.

. 2

⁶2. When access roadways cannot be installed due to topography, waterways, nonnegotiable grades or other similar conditions, the chief may require additional fire protection as specified in Section 10.301 (b).

⁶3. When there are not more than two Group R, Division 3 or Group M Occupancies, the requirements of this section may be modified, provided, in

Ronald A. Mochida Page 3 August 12, 2004

the opinion of the chief, fire-fighting or rescue operations would not be impaired.

'More than one fire apparatus road may be required when it is determined by the chief that access by a single road may be impaired by vehicle congestion, condition of terrain, climatic conditions or other factors that could limit access.

'For high-piled combustible storage, see Section 81.109.

(c) Width. The unobstructed width of a fire apparatus access road shall meet the requirements of the appropriate county jurisdiction.

'(d) Vertical Clearance. Fire apparatus access roads shall have an unobstructed vertical clearance of not less than 13 feet 6 inches.

'EXCEPTION: Upon approval vertical clearance may be reduced, provided such reduction does not impair access by fire apparatus and approved signs are installed and maintained indicating the established vertical clearance.

'(e) **Permissible Modifications.** Vertical clearances or widths required by this section may be increased when, in the opinion of the chief, vertical clearances or widths are not adequate to provide fire apparatus access.

'(f) **Surface.** Fire apparatus access roads shall be designed and maintained to support the imposed loads of fire apparatus and shall be provided with a surface so as to provide all-weather driving capabilities.' (20 tons)

'(g) **Turning Radius.** The turning radius of a fire apparatus access road shall be as approved by the chief.' (45 feet)

'(h) **Turnarounds.** All dead-end fire apparatus access roads in excess of 150 feet in length shall be provided with approved provisions for the turning around of fire apparatus.

. :

'(i) **Bridges.** When a bridge is required to be used as access under this section, it shall be constructed and maintained in accordance with the applicable sections of the Building Code and using designed live loading sufficient to carry the imposed loads of fire apparatus.

'(j) **Grade.** The gradient for a fire apparatus access road shall not exceed the maximum approved by the chief.' (15%)

Ronald A. Mochida Page 4 August 12, 2004

'(k) **Obstruction.** The required width of any fire apparatus access road shall not be obstructed in any manner, including parking of vehicles. Minimum required widths and clearances established under this section shall be maintained at all times.

'(1) **Signs.** When required by the fire chief, approved signs or other approved notices shall be provided and maintained for fire apparatus access roads to identify such roads and prohibit the obstruction thereof or both.'

Water supply shall be in accordance with UFC Section 10.301:

'(c) Water Supply. An approved water supply capable of supplying required fire flow for fire protection shall be provided to all premises upon which buildings or portions of buildings are hereafter constructed, in accordance with respective county water requirements. There shall be provided, when required by the chief, on-site fire hydrants and mains capable of supplying the required fire flow.

'Water supply may consist of reservoirs, pressure tanks, elevated tanks, water mains or other fixed systems capable of providing the required fire flow.

'The location, number and type of fire hydrants connected to a water supply capable of delivering the required fire flow shall be protected as set forth by the respective county water requirements. All hydrants shall be accessible to the fire department by roadways meeting the requirements of Section 10.207."

There were no comment(s) received from the surrounding property owners.

We note the following documents that accompanied your application. The original and notarized affidavits of **Ronald A. and Winifred T. Mochida** dated May 13, 2004 included with the Ohana Dwelling application state:

"We, Ronald A Mochida & Winifred T Mochida certify that the provisions of any restrictions, covenant or other land use restrictions applicable to the lot by way of a deed or lease or other provisions do not prohibit the construction or placement of an ohana dwelling unit or a second dwelling unit."

. .

and

"We, Ronald A Mochida & Winifred T Mochida certify we are the Title Holders of the property located at 45-543A Lokelani St, Honokaa, HI 96727."

Ronald A. Mochida Page 5 August 12, 2004

In view of the above, by this letter, you are hereby **granted** permission to construct an attached single family Ohana Dwelling Unit duplex conversion, pursuant to § 25-6-35(c), subject to the following conditions:

- 1. The proposed Ohana Dwelling unit shall comply with Ordinance No. 96-47 and Rule 12, the County of Hawaii Planning Department's Rules of Practice and Procedure relating to Ohana Dwelling Units.
- 2. <u>Non-transferability</u>: The permit for the Ohana Dwelling unit shall be personal to the applicant until construction of the Ohana Dwelling unit has been completed. The permit shall not be transferable or assignable to any other person prior to its completion.
- 3. <u>Prohibition of Advertising, Sales, Transfers</u>: No person shall advertise or represent to the public that a permit to construct an Ohana Dwelling unit is transferable with the sale of the property on which the permit has been granted.

4. <u>Building Permit</u>: The applicant is required to secure a building permit from the Department of Public Works, Building Division, for the construction of the ohana dwelling unit on or before August 13, 2005.

Please bring or attach a copy of this Permit to assist the reviewing agencies in understanding and expediting the review and processing of the building construction plans and building permit application for the additional building improvements necessary to establish the Ohana Dwelling on the subject parcel.

a) The property involved with this application is located in an area that receives 80 plus inches of rainfall per year and so, in reference to the DWS comment, may we suggest the following:

Any dwelling not serviced by a County water system should be provided with and maintain a private potable rain catchment system which includes a minimum 6,000 gallons for domestic consumption or potable uses. This catchment system should adhere to the Department of Public Works, Building Division's "Guidelines for Owners of Rain Catchment Water Systems" as well as the State Department of Health requirements related to water testing and water purifying devices.

. **.**

Any dwelling on a water catchment system should be provided with and maintain an additional 3,000 gallon water storage capacity for fire fighting and emergency purposes. The emergency water supply system, including the necessary compatible connector system and location of the water storage facility on the property, should meet with the approval of the Hawaii County Fire Department. Ronald A. Mochida Page 6 August 12, 2004

- b) The applicant shall not utilize the existing water meter to service the ohana dwelling.
- c) The applicant shall contact the HFD to ascertain if, and arrange for, any inspections that may be required as regards Fire Apparatus Access Roads and compatible fire fighting connection system.
- d) A one time 30-day time extension to obtain the building permit may be granted by the Planning Director. A written request for a time extension shall be filed with the Planning Director not less than forty-five (45) days prior to the expiration date of the ohana dwelling unit permit. The Planning Director shall render a decision on the request for a time extension prior to the expiration date of the permit.
- e) The applicant shall not be able to obtain further extensions beyond the initial 30day time extension. Further, such failure to conform to the time requirement shall not be cause to petition the Planning Director, Board of Appeals or any other governmental body for relief from the time requirement.
- 5. <u>Requirements for Height, Site Area (Lot size)</u>, Yard (Setback) and Off-Street Parking (Parking spaces):
 - a) <u>Height limit</u>: The height limit for the proposed detached ohana dwelling unit shall be thirty-five (35'-0") feet.
 - b) <u>Zoning and Minimum Building Site Area (Lot Size)</u>: The subject TMK parcel containing 12,500 square feet is zoned Residential Single-Family (RS-10) by the County and is situated within the State Land Use Urban district.

Minimum Yards (Setbacks) and Open Space: The proposed dwelling unit is required to comply with the yards and open space requirements of the Hawaii County Zoning Code.

c) The respective minimum open space, front, rear, and side yard requirements for the proposed attached ohana dwelling unit to be located on the subject TMK property shall be as follows:

. 1

- Front yard –minimum twenty (20) feet required;
- Rear yard minimum twenty (20) feet required;
- Side yard(s) minimum ten (10) feet required;

Ronald A. Mochida Page 7 August 12, 2004

- Open space from other main structure(s) not applicable, attached ohana dwelling unit, duplex conversion.
- d) <u>Off-Street Parking</u>: The Ohana Dwelling unit shall be provided with a minimum of two (2) off-street parking spaces that comply with the requirements of Section 25-4-53 of the Zoning Code. All existing and additional parking spaces shall be arranged so as to be individually accessible.
- 6. This Ohana Dwelling permit is subject to all other applicable rules, regulations and requirements of the Planning Department, Department of Public Works, Fire Department and State Department of Health and other reviewing agencies/divisions listed on the Building Permit Application.

Ohana dwelling units are prohibited on a building site that is the subject of an approved variance from the Subdivision Code (Chapter 23), the Zoning Code Chapter 25), and property where a second dwelling unit is specifically prohibited by a change of zone ordinance.

- a) No variance from the requirements of Chapter 23 and Chapter 25, Hawaii County Code, as amended, shall be granted to permit the construction or placement of an Ohana Dwelling unit.
- b) An Ohana Dwelling unit shall not be permitted on a lot which has been the subject of a previously granted variance from any provision of Chapter 23 and Chapter 25, Hawaii County Code, as amended.

. 1

Should you have any questions regarding the above, please contact Jonathan Holmes of this office.

Sincerely,

CHRISTOPHER J. YUEN Planning Director

JRH:cd p:\ohana\jrhohana\apv1\mochida45004093apvl.doc

xc: Dept. of Health, Chief Sanitarian
Dept. of Public Works
Real Property Tax
Dept. of Water Supply

Scanned Map Unavailable Due to Size

See File

