BENJAMIN J. CAYETANO GOVERNOR OF HAWAII

GILBERT S. COLOMA-AGARAN CHAIRPERSON BOARD OF LAND AND NATURAL RESOURCES

> JANET T. KAWELO DEPUTY DIRECTOR

LINNEL T. NISHIOKA

STATE OF HAWAII

DEPARTMENT OF LAND AND NATURAL RES

DIVISION OF STATE PARKS P.O. BOX 621 HONOLULU, HAWAII 96809

October 11, 2001

**MEMORANDUM** 

5.2

TO:

Ester Imamura

201 007 15 PT 12 47

Planning Department

County of Hawaii

FROM:

Jon Sasaki, Planner

DLNR, State Parks Division

SUBJECT: Special M

Special Management Area Use Permit Application (SMA 01-

006) Department of Land and Natural Resources, Division

of State Parks (Tax Map Key: 8-2-04:9)

The following are the information requested:

- 1) Funding? Project funded by State funds authorized by Act 328, Session Laws of Hawaii 1997, Item H-2 as amended by Act 116, Session Laws of Hawaii 1998.
- 2) Public Access? None.
- 3) Cultural Resources? Some Hawaiian practitioners on occasion at the Hikiau, Heiau site. None at the park site.
- 4) Total Project Cost? \$468,409.00
- 5) CDUA? Not required.

If there are any other questions, please feel free to call me at (808) 587-0299.



## STATE OF HAWAII DEPARTMENT OF LAND AND NATURAL RESOURCES P. O. BOX 621

HONOLULU, HAWAII 96809

November 18, 1981

CPO-3803 REF. NO.:

DIVISIONS: AQUACULTURE DEVELOPMENT PROGRAM ADUATIC RESOURCES CONSERVATION AND RESOURCES ENFORCEMENT CONVEYANCES

SUSUMU ONO, CHAIRMAN

BOARD OF LAND & NATURAL RESOURCES

EDGAR A. HAMASU DEPUTY TO THE CHAIRMAN

FORESTRY AND WILDLIFE LAND MANAGEMENT STATE PARKS WATER AND LAND DEVELOPMENT

### **MEMORANDUM**

TO:

Mr. Roy K. C. Sue, State Parks Administrator

FROM:

Roger C. Evans, Staff Planner

Planning Office

SUBJECT:

Review of Projects with Conservation District

We have reviewed the projects listed in your October 9, 1981 Memorandum and have the following to offer:

Generally, in any area which is under Executive Order (EO) for park purposes, a CDUA is not required for park improvements, unless there is a change or expansion in existing land use.

Areas which are not under EO will require a CDUA prior to improvements since they legally are not a State park. CDUA would be for the establishment of a State park.

These general comments apply to all except the Renovation of Hanalei Pier which is a non-conforming use in the Conservation District. Insofar as the work is to alleviate a public hazard, no CDUA is required.

EVANS

ADMIN: ASS'T ADMIN. ADMIN. ASST DEV. BR. PLAN. BR./4 RES. MGT. BR. CLERICAL STAFF .HIST. SITES SEC. FOR: CIRC. COMMENTS & REC. DRAFT REPLY

FILE FOLLOW UP LINFO SEE ME ..... SIGNATURE BENJAMIN J. CAYETANO GOVERNOR OF HAWAII WI 12 PM 12 40

PLANNING DESPERANT

COUNTY OF FIRMAN



# STATE OF HAWAII

#### **DEPARTMENT OF LAND AND NATURAL RESOURCES**

DIVISION OF STATE PARKS P.O. BOX 621 HONOLULU, HAWAII 96809

October 11, 2001

**GILBERT S. COLOMA-AGARAN** CHAIRPERSON BOARD OF LAND AND NATURAL RESOURCES

> JANET T. KAWELO DEPUTY DIRECTOR

LINNEL T. NISHIOKA DEPUTY DIRECTOR FOR THE COMMISSION ON WATER RESOURCE MANAGEMENT

**AQUATIC RESOURCES** BOATING AND OCEAN RECREATION COMMISSION ON WATER RESOURCE MANAGEMENT CONSERVATION AND RESOURCES ENFORCEMENT CONVEYANCES FORESTRY AND WILDLIFE HISTORIC PRESERVATION KAHDOLAWE ISLAND RESERVE COMMISSION LAND STATE PARKS

# **MEMORANDUM**

TO:

Ester Imamura

Planning Department

County of Hawaii

FROM:

SUBJECT:

Jon Sasaki, Planner

DLNR, State Parks Division

Special Management Area Use Permit Application (SMA 01-006) Department of Land and Natural Resources, Division

of State Parks (Tax Map Key: 8-2-04:9)

The following are the information requested:

- 1) Funding? Project funded by State funds authorized by Act 328, Session Laws of Hawaii 1997, Item H-2 as amended by Act 116, Session Laws of Hawaii 1998.
- 2) Public Access? Access basically is via government road at East end, or entry end, of property.
- 3) Cultural Resources? Some Hawaiian practitioners on occasion at the Hikiau, Heiau site.
- 4) Total Project Cost? \$468,409.00

If there are any other questions, please feel free to call me at (808) 587-0299.